

[Back](#)
[?](#)

Certification No	Certifier	Applicant	Equipment Class	Description
: SGS-230032-EA	: SGS	: ADM Instrument Engineering	: Level 3 - Power Supply or Charger	: Independent LED Driver
Certified Date	Expiry Date	Standard: AS 61347.2.13:2018; AS/NZS 61347.1:2016 + A1		
: 4/27/2023	: 4/26/2028			

Certification Conditions: For use only with LED lighting equipment. Suitable for sale in Australia / New Zealand.

Profiles

Model	Trade Name	Profile	
LPF-16-12	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz
		Outputs	
		Comments	Output: 12Vd.c., 1.34A, 16.08W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover
LPF-16D-12	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz
		Outputs	
		Comments	Output: 12Vd.c., 1.34A, 16.08W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover
LPF-16-12P	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz
		Outputs	
		Comments	Output: 12Vd.c., 1.34A, 16.08W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover
LPF-16D-	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz
		Outputs	

12P

Comments Output: 12Vd.c., 1.34A, 16.08W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover

LPF- MEAN
16-15 WELL

Inputs 100-240 V a.c., 0.4A, **Outputs**
50/60 Hz

Comments Output: 15Vd.c., 1.07A, 16.05W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover

LPF- MEAN
16D- WELL
15

Inputs 100-240 V a.c., 0.4A, **Outputs**
50/60 Hz

Comments Output: 15Vd.c., 1.07A, 16.05 WClass II, IP30, ta: 50oC, tc: 70oC, Do-not-cover

LPF- MEAN
16- WELL
15P

Inputs 100-240 V a.c., 0.4A, **Outputs**
50/60 Hz

Comments Output: 15Vd.c., 1.07A, 16.05W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover

LPF- MEAN
16D- WELL
15P

Inputs 100-240 V a.c., 0.4A, **Outputs**
50/60 Hz

Comments Output: 15Vd.c., 1.07A, 16.05W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover

LPF- MEAN
16-20 WELL

Inputs 100-240 V a.c., 0.4A, **Outputs**
50/60 Hz

Comments Output: 20Vd.c., 0.8A, 16W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover

LPF- MEAN
16D- WELL
20

Inputs 100-240 V a.c., 0.4A, **Outputs**
50/60 Hz

Comments Output: 20Vd.c., 0.8A, 16W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover

LPF- MEAN
16- WELL
20P

Inputs 100-240 V a.c., 0.4A, **Outputs**
50/60 Hz

Comments Output: 20Vd.c., 0.8A, 16W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover

LPF- 16D- 20P	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs
		Comments	Output: 20Vd.c., 0.8A, 16W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover	
LPF- 16-24	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs
		Comments	Output: 24Vd.c., 0.67A, 18.08 WClass II, IP30, ta: 50oC, tc: 70oC, Do-not-cover	
LPF- 16D- 24	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs
		Comments	Output: 24Vd.c., 0.67A, 18.08W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover	
LPF- 16- 24P	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs
		Comments	Output: 24Vd.c., 0.67A, 18.08W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover	
LPF- 16D- 24P	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs
		Comments	Output: 24Vd.c., 0.67A, 18.08W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover	
LPF- 16-30	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs
		Comments	Output: 30Vd.c., 0.54A, 16.2W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover	
LPF- 16D- 30	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs
		Comments	Output: 30Vd.c., 0.54A, 16.2W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover	
LPF- 16- 30P	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs

		Comments	Output: 30Vd.c., 0.54A, 16.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover	
LPF-16D-30P	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs
		Comments	Output: 30Vd.c., 0.54A, 16.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover	
LPF-16-36	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs
		Comments	Output: 36Vd.c., 0.45A, 16.2W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover	
LPF-16D-36	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs
		Comments	Output: 36Vd.c., 0.45A, 16.2W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover	
LPF-16-36P	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs
		Comments	Output: 36Vd.c., 0.45A, 16.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover	
LPF-16D-36P	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs
		Comments	Output: 36Vd.c., 0.45A, 16.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover	
LPF-16-42	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs
		Comments	Output: 42Vd.c., 0.39A, 16.38W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover	
LPF-16D-42	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs
		Comments	Output: 42Vd.c., 0.39A, 16.38W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover	
LPF-16-	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs

42P

Comments Output: 42Vd.c., 0.39A, 16.38W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover

LPF- MEAN
16D- WELL
42P

Inputs 100-240 V a.c., 0.4A, **Outputs**
50/60 Hz

Comments Output: 42Vd.c., 0.39A, 16.38W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover

LPF- MEAN
16-48 WELL

Inputs 100-240 V a.c., 0.4A, **Outputs**
50/60 Hz

Comments Output: 48Vd.c., 0.34A, 16.32W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover

LPF- MEAN
16D- WELL
48

Inputs 100-240 V a.c., 0.4A, **Outputs**
50/60 Hz

Comments Output: 48Vd.c., 0.34A, 16.32W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover

LPF- MEAN
16- WELL
48P

Inputs 100-240 V a.c., 0.4A, **Outputs**
50/60 Hz

Comments Output: 48Vd.c., 0.34A, 16.32W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover

LPF- MEAN
16D- WELL
48P

Inputs 100-240 V a.c., 0.4A, **Outputs**
50/60 Hz

Comments Output: 48Vd.c., 0.34A, 16.32W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover

LPF- MEAN
16-54 WELL

Inputs 100-240 V a.c., 0.4A, **Outputs**
50/60 Hz

Comments Output: 54Vd.c., 0.3A, 16.2W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover

LPF- MEAN
16D- WELL
54

Inputs 100-240 V a.c., 0.4A, **Outputs**
50/60 Hz

Comments Output: 54Vd.c., 0.3A, 16.2W Class II, IP30, ta: 50oC, tc: 70oC, Do-not-cover

LPF-16-54P	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs	
		Comments	Output: 54Vd.c., 0.3A, 16.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover		
LPF-16D-54P	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs	
		Comments	Output: 54Vd.c., 0.3A, 16.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover		
LPF-25-12	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs	
		Comments	Output: 12Vd.c., 2.1A, 25.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover		
LPF-25D-12	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs	
		Comments	Output: 12Vd.c., 2.1A, 25.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover		
LPF-25-15	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs	
		Comments	Output: 15Vd.c., 1.67A, 25.05W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover		
LPF-25D-15	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs	
		Comments	Output: 15Vd.c., 1.67A, 25.05W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover		
LPF-25-20	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs	
		Comments	Output: 20Vd.c., 1.25A, 25W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover		
LPF-25D-20	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs	
		Comments	Output: 20Vd.c., 1.25A, 25W Class II, IP67, ta: 50oC, tc: 70oC,		

		Do-not-cover	
LPF-25-24	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz
		Outputs	
		Comments	Output: 24Vd.c., 1.05A, 25.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover
LPF-25D-24	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz
		Outputs	
		Comments	Output: 24Vd.c., 1.05A, 25.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover
LPF-25-30	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz
		Outputs	
		Comments	Output: 30Vd.c., 0.84A, 25.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover
LPF-25D-30	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz
		Outputs	
		Comments	Output: 30Vd.c., 0.84A, 25.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover
LPF-25-36	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz
		Outputs	
		Comments	Output: 36Vd.c., 0.7A, 25.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover
LPF-25D-36	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz
		Outputs	
		Comments	Output: 36Vd.c., 0.7A, 25.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover
LPF-25-42	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz
		Outputs	
		Comments	Output: 42Vd.c., 0.6A, 25.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover
LPF-25D-42	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz
		Outputs	

			Comments	Output: 42Vd.c., 0.6A, 25.2W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover	
LPF-25-48	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs	
		Comments	Output: 48Vd.c., 0.53A, 25.44W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover		
LPF-25D-48	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs	
		Comments	Output: 48Vd.c., 0.53A, 25.44W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover		
LPF-25-54	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs	
		Comments	Output: 54Vd.c., 0.47A, 25.38W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover		
LPF-25D-54	MEAN WELL	Inputs	100-240 V a.c., 0.4A, 50/60 Hz	Outputs	
		Comments	Output: 54Vd.c., 0.47A, 25.38W Class II, IP67, ta: 50oC, tc: 70oC, Do-not-cover		
LPF-40-12	MEAN WELL	Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs	
		Comments	Output: 12Vd.c., 3.34A, 40.08W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover		
LPF-40D-12	MEAN WELL	Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs	
		Comments	Output: 12Vd.c., 3.34A, 40.08W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover		
LPF-40-15	MEAN WELL	Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs	
		Comments	Output: 15Vd.c., 2.67A, 40.08W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover		
LPF-40D-15	MEAN WELL	Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs	

			Comments	Output: 15Vd.c., 2.67A, 40.08 WClass II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-40-20	MEAN WELL	Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs	
		Comments	Output: 20Vd.c., 2.0A, 40W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover		
LPF-40D-20	MEAN WELL	Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs	
		Comments	Output: 20Vd.c., 2.0A, 40W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover		
LPF-40-24	MEAN WELL	Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs	
		Comments	Output: 24Vd.c., 1.67A, 40.08W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover		
LPF-40D-24	MEAN WELL	Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs	
		Comments	Output: 24Vd.c., 1.67A, 40.08W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover		
LPF-40-30	MEAN WELL	Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs	
		Comments	Output: 30Vd.c., 1.34A, 40.2W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover		
LPF-40D-30	MEAN WELL	Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs	
		Comments	Output: 30Vd.c., 1.34A, 40.2W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover		
LPF-40-36	MEAN WELL	Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs	
		Comments	Output: 36Vd.c., 1.12A, 40.32W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover		
LPF-40D-36	MEAN WELL	Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs	

			Comments	Output: 36Vd.c., 1.12A, 40.32W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-40-42	MEAN WELL		Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs
			Comments	Output: 42Vd.c., 0.96A, 40.32W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-40D-42	MEAN WELL		Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs
			Comments	Output: 42Vd.c., 0.96A, 40.32W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-40-48	MEAN WELL		Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs
			Comments	Output: 48Vd.c., 0.84A, 40.32W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-40D-48	MEAN WELL		Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs
			Comments	Output: 48Vd.c., 0.84A, 40.32W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-40-54	MEAN WELL		Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs
			Comments	Output: 54Vd.c., 0.76A, 41.04W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-40D-54	MEAN WELL		Inputs	100-240 V a.c., 0.6A, 50/60 Hz	Outputs
			Comments	Output: 54Vd.c., 0.76A, 41.04W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60-12	MEAN WELL		Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs
			Comments	Output: 12Vd.c., 5.0A, 60W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60D-12	MEAN WELL		Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs

		Comments	Output: 12Vd.c., 5.0A, 60W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60-15	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs
		Comments	Output: 15Vd.c., 4.0A, 60W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60D-15	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs
		Comments	Output: 15Vd.c., 4.0A, 60W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60-20	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs
		Comments	Output: 20Vd.c., 3.0A, 60W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60D-20	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs
		Comments	Output: 20Vd.c., 3.0A, 60W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60-24	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs
		Comments	Output: 24Vd.c., 2.5A, 60W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60D-24	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs
		Comments	Output: 24Vd.c., 2.5A, 60W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60-30	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs
		Comments	Output: 30Vd.c., 2.0A, 60W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60D-30	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs

		Comments	Output: 30Vd.c., 2.0A, 60W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60-36	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs
		Comments	Output: 36V.d.c, 1.67A, 60.12W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60D-36	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs
		Comments	Output: 36V.d.c, 1.67A, 60.12W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60-42	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs
		Comments	Output: 42Vd.c., 1.43A, 60.06W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60D-42	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs
		Comments	Output: 42Vd.c., 1.43A, 60.06W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60-48	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs
		Comments	Output: 48Vd.c., 1.25A, 60W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60D-48	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs
		Comments	Output: 48Vd.c., 1.25A, 60W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60-54	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs
		Comments	Output: 54Vd.c., 1.12A, 60.48W Class II, IP67, ta: 50oC, tc: 80oC, Do-not-cover	
LPF-60D-54	MEAN WELL	Inputs	100-240 V a.c., 0.8A, 50/60 Hz	Outputs

Comments Output: 54Vd.c., 1.12A, 60.48W Class II, IP67, ta: 50oC, tc:
80oC, Do-not-cover

Version 1.1 Last Updated: 11 April, 2022

© Copyright State of Victoria | [Disclaimer](#) | [Privacy Statement](#) | [State Government of Victoria Home](#) |