

Back ?

Certification No : SAA-171091-EA	Certifier : SAA	Applicant : Mean Well Enterprises Co., Ltd.	Equipment Class : Level 3 - Power Supply or Charger	Description : LED Controlgear (Independent SELV, Constant Voltage)
Certified Date: 6/6/2017	Expiry Date : 6/6/2022	Standard: AS/NZS IEC 61347.2.13:2013 AS/NZS 61347.1:2016		
Certification Conditions:				

Profiles

Model	Trade Name	Profile	Inputs	Outputs	Comments
IDLV-65-12	MEAN WELL		Input: 200-240V~ 50/60Hz 0.4A	Output: 12Vdc 4.2A 50.4W	
ODLV-65-12	MEAN WELL		Input: 200-240V~ 50/60Hz 0.4A	Output: 12Vdc 4.2A 50.4W	Input: 200-240V~ 50/60Hz 0.4A Output: 12Vdc 4.2A 50.4W
IDLV-65-24	MEAN WELL		Input: 200-240V~ 50/60Hz 0.4A	Output: 24Vdc 2.4A 57.6W	
ODLV-65-24	MEAN WELL		Input: 200-240V~ 50/60Hz 0.4A	Output: 24Vdc 2.4A 57.6W	Input: 200-240V~ 50/60Hz 0.4A Output: 24Vdc 2.4A 57.6W

		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 24Vdc 2.4A 57.6W	
IDLV-65-36	MEAN WELL	Inputs	Input: 200-240V~ 50/60Hz 0.4A Output: 36Vdc 1.8A 64.8W	Outputs
		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 36Vdc 1.8A 64.8W	
ODLV-65-36	MEAN WELL	Inputs	Input: 200-240V~ 50/60Hz 0.4A Output: 36Vdc 1.8A 64.8W	Outputs
		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 36Vdc 1.8A 64.8W	
IDLV-65-48	MEAN WELL	Inputs	Input: 200-240V~ 50/60Hz 0.4A Output: 48Vdc 1.35A 64.8W	Outputs
		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 48Vdc 1.35A 64.8W	
ODLV-65-48	MEAN WELL	Inputs	Input: 200-240V~ 50/60Hz 0.4A Output: 48Vdc 1.35A 64.8W	Outputs
		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 48Vdc 1.35A 64.8W	
IDLV-65-60	MEAN WELL	Inputs	Input: 200-240V~ 50/60Hz 0.4A Output: 60Vdc 1.08A 64.8W	Outputs
		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 60Vdc 1.08A 64.8W	
ODLV-65-60	MEAN WELL	Inputs	Input: 200-240V~ 50/60Hz 0.4A Output: 60Vdc 1.08A 64.8W	Outputs
		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 60Vdc 1.08A 64.8W	
IDLV-65A-12	MEAN WELL	Inputs	Input: 200-240V~ 50/60Hz 0.4A Output: 12Vdc 4.2A 50.4W AUX: 0.6W + 12Vdc 50mA	Outputs
		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 12Vdc 4.2A 50.4W AUX: 0.6W + 12Vdc 50mA	
ODLV-65A-12	MEAN WELL	Inputs	Input: 200-240V~ 50/60Hz 0.4A Output: 12Vdc 4.2A 50.4W AUX: 0.6W + 12Vdc 50mA	Outputs

		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 12Vdc 4.2A 50.4W AUX: 0.6W + 12Vdc 50mA	
IDLV- 65A- 24	MEAN WELL	Inputs	Input: 200-240V~ 50/60Hz 0.4A Output: 24Vdc 2.4A 57.6W AUX: 0.6W + 12Vdc 50mA	Outputs
		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 24Vdc 2.4A 57.6W AUX: 0.6W + 12Vdc 50mA	
ODLV- 65A- 24	MEAN WELL	Inputs	Input: 200-240V~ 50/60Hz 0.4A Output: 24Vdc 2.4A 57.6W AUX: 0.6W + 12Vdc 50mA	Outputs
		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 24Vdc 2.4A 57.6W AUX: 0.6W + 12Vdc 50mA	
IDLV- 65A- 36	MEAN WELL	Inputs	Input: 200-240V~ 50/60Hz 0.4A Output: 36Vdc 1.8A 64.8W AUX: 0.6W + 12Vdc 50mA	Outputs
		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 36Vdc 1.8A 64.8W AUX: 0.6W + 12Vdc 50mA	
ODLV- 65A- 36	MEAN WELL	Inputs	Input: 200-240V~ 50/60Hz 0.4A Output: 36Vdc 1.8A 64.8W AUX: 0.6W + 12Vdc 50mA	Outputs
		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 36Vdc 1.8A 64.8W AUX: 0.6W + 12Vdc 50mA	
IDLV- 65A- 48	MEAN WELL	Inputs	Input: 200-240V~ 50/60Hz 0.4A Output: 48Vdc 1.35A 64.8W AUX: 0.6W + 12Vdc 50mA	Outputs
		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 48Vdc 1.35A 64.8W AUX: 0.6W + 12Vdc 50mA	
ODLV- 65A- 48	MEAN WELL	Inputs	Input: 200-240V~	Outputs

65A-48	WELL		50/60Hz 0.4A Output: 48Vdc 1.35A 64.8W AUX: 0.6W + 12Vdc 50mA	
		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 48Vdc 1.35A 64.8W AUX: 0.6W + 12Vdc 50mA	
IDLV-65A-60	MEAN WELL	Inputs	Input: 200-240V~ 50/60Hz 0.4A Output: 60Vdc 1.08A 64.8W AUX: 0.6W + 12Vdc 50mA	Outputs
		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 60Vdc 1.08A 64.8W AUX: 0.6W + 12Vdc 50mA	
ODLV-65A-60	MEAN WELL	Inputs	Input: 200-240V~ 50/60Hz 0.4A Output: 60Vdc 1.08A 64.8W AUX: 0.6W + 12Vdc 50mA	Outputs
		Comments	Input: 200-240V~ 50/60Hz 0.4A Output: 60Vdc 1.08A 64.8W AUX: 0.6W + 12Vdc 50mA	
IDLV-45-12	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 12Vdc 3.0A 36W	Outputs
		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 12Vdc 3.0A 36W	
ODLV-45-12	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 12Vdc 3.0A 36W	Outputs
		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 12Vdc 3.0A 36W	
IDLV-45-24	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 24Vdc, 1.5/1.88A, 36/45.12W	Outputs
		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 24Vdc, 1.5/1.88A, 36/45.12W	
ODLV-45-24	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 24Vdc, 1.5/1.88A, 36/45.12W	Outputs

		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 24Vdc, 1.5/1.88A, 36/45.12W	
IDLV-45-36	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 36Vdc, 1.0/1.25A, 36/45W	Outputs
		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 36Vdc, 1.0/1.25A, 36/45W	
ODLV-45-36	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 36Vdc, 1.0/1.25A, 36/45W	Outputs
		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 36Vdc, 1.0/1.25A, 36/45W	
IDLV-45-48	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 48Vdc, 0.75/0.94A, 36/45.12W	Outputs
		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 48Vdc, 0.75/0.94A, 36/45.12W	
ODLV-45-48	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 48Vdc, 0.75/0.94A, 36/45.12W	Outputs
		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 48Vdc, 0.75/0.94A, 36/45.12W	
IDLV-45-60	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 60Vdc, 0.6/0.75A, 36/45W	Outputs
		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 60Vdc, 0.6/0.75A, 36/45W	
ODLV-45-60	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 60Vdc, 0.6/0.75A, 36/45W	Outputs
		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 60Vdc, 0.6/0.75A, 36/45W	

IDLV- 45A- 12	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 12Vdc 3.0A 36W AUX: 0.6W + 12Vdc 50mA	Outputs
		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 12Vdc 3.0A 36W AUX: 0.6W + 12Vdc 50mA	

ODLV- 45A- 12	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 12Vdc 3.0A 36W AUX: 0.6W + 12Vdc 50mA	Outputs
		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 12Vdc 3.0A 36W AUX: 0.6W + 12Vdc 50mA	

IDLV- 45A- 24	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 24Vdc, 1.5/1.88A, 36/45.12W AUX: 0.6W + 12Vdc 50mA	Outputs
		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 24Vdc, 1.5/1.88A, 36/45.12W AUX: 0.6W + 12Vdc 50mA	

ODLV- 45A- 24	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 24Vdc, 1.5/1.88A, 36/45.12W AUX: 0.6W + 12Vdc 50mA	Outputs
		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 24Vdc, 1.5/1.88A, 36/45.12W AUX: 0.6W + 12Vdc 50mA	

IDLV- 45A- 36	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 36Vdc, 1.0/1.25A, 36/45W AUX: 0.6W + 12Vdc 50mA	Outputs
		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 36Vdc, 1.0/1.25A, 36/45W AUX: 0.6W + 12Vdc 50mA	

ODLV- 45A- 36	MEAN WELL	Inputs	Input: 100-240V~ 50/60Hz 0.6A Output: 36Vdc, 1.0/1.25A, 36/45W AUX: 0.6W + 12Vdc 50mA	Outputs
		Comments	Input: 100-240V~ 50/60Hz 0.6A Output: 36Vdc, 1.0/1.25A,	

		36/45W AUX: 0.6W + 12Vdc 50mA	
IDLV- 45A- 48	MEAN WELL	Inputs	Outputs Input: 100-240V~ 50/60Hz 0.6A Output: 48Vdc, 0.75/0.94A, 36/45.12W AUX: 0.6W + 12Vdc 50mA Comments Input: 100-240V~ 50/60Hz 0.6A Output: 48Vdc, 0.75/0.94A, 36/45.12W AUX: 0.6W + 12Vdc 50mA
ODLV- 45A- 48	MEAN WELL	Inputs	Outputs Input: 100-240V~ 50/60Hz 0.6A Output: 48Vdc, 0.75/0.94A, 36/45.12W AUX: 0.6W + 12Vdc 50mA Comments Input: 100-240V~ 50/60Hz 0.6A Output: 48Vdc, 0.75/0.94A, 36/45.12W AUX: 0.6W + 12Vdc 50mA
IDLV- 45A- 60	MEAN WELL	Inputs	Outputs Input: 100-240V~ 50/60Hz 0.6A Output: 60Vdc, 0.6/0.75A, 36/45W AUX: 0.6W + 12Vdc 50mA Comments Input: 100-240V~ 50/60Hz 0.6A Output: 60Vdc, 0.6/0.75A, 36/45W AUX: 0.6W + 12Vdc 50mA
ODLV- 45A- 60	MEAN WELL	Inputs	Outputs Input: 100-240V~ 50/60Hz 0.6A Output: 60Vdc, 0.6/0.75A, 36/45W AUX: 0.6W + 12Vdc 50mA Comments Input: 100-240V~ 50/60Hz 0.6A Output: 60Vdc, 0.6/0.75A, 36/45W AUX: 0.6W + 12Vdc 50mA

Version 1.4 Last Updated: 3 July, 2009

© Copyright State of Victoria | [Disclaimer](#) | [Privacy Statement](#) | [State Government of Victoria Home](#) |