

[Back](#)
[?](#)

| | | | | |
|---|-------------------------------|--|--|--|
| Certification No : GMA-512462-EA | Certifier : Glo | Applicant : Mean Well Enterprises Co., Ltd. | Equipment Class : Level 3 - Power Supply or Charger | Description : Independent Controlgear |
| Certified Date: 5/26/2022 | Expiry Date: 5/26/2027 | Standard: AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 | | |
| Certification Conditions: Classified as do not cover | | | | |

Profiles

| Model | Trade Name | Profile | Inputs | Outputs |
|-----------------|------------|---------|---|---------|
| ELG-75-12 | MEAN WELL | | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V | |
| Comments | | | | |
| ELG-75-12A | MEAN WELL | | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V | |
| Comments | | | | |
| ELG-75-12B | MEAN WELL | | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V | |
| Comments | | | | |
| ELG-75-12AB | MEAN WELL | | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V | |

| | | | |
|-----------------|-----------|---------------|--|
| Comments | | | |
| ELG-75-12D | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V |
| Outputs | | | |
| Comments | | | |
| ELG-75-12DA | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V |
| Outputs | | | |
| Comments | | | |
| ELG-75-12D2 | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V |
| Outputs | | | |
| Comments | | | |
| ELG-75-12AD2 | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V |
| Outputs | | | |
| Comments | | | |
| ELG-75-12ADA | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 12 Vdc, 60W when input 200-240 V |
| Outputs | | | |
| Comments | | | |
| ELG-75-24 | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V |
| Outputs | | | |
| Comments | | | |
| ELG-75-24A | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V |
| Outputs | | | |
| Comments | | | |
| ELG- | MEAN | Inputs | Input: 100-240 Vac, 0.7 |
| Outputs | | | |

| | | | | |
|--------------|-----------|-----------------|--|----------------|
| 75-24B | WELL | | A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V | |
| | | Comments | | |
| ELG-75-24AB | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V | Outputs |
| | | Comments | | |
| ELG-75-24D | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V | Outputs |
| | | Comments | | |
| ELG-75-24DA | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V | Outputs |
| | | Comments | | |
| ELG-75-24D2 | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V | Outputs |
| | | Comments | | |
| ELG-75-24AD2 | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V | Outputs |
| | | Comments | | |
| ELG-75-24ADA | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 24 Vdc, 75.6W when input 200-240 V | Outputs |
| | | Comments | | |
| ELG-75-36 | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 | Outputs |

Vdc, 75.6W when input
200-240 V

Comments

| | | | | |
|--------------------|--------------|---------------|---|----------------|
| ELG- 75- 36A | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V | Outputs |
|--------------------|--------------|---------------|---|----------------|

Comments

| | | | | |
|--------------------|--------------|---------------|---|----------------|
| ELG- 75- 36B | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V | Outputs |
|--------------------|--------------|---------------|---|----------------|

Comments

| | | | | |
|---------------------|--------------|---------------|---|----------------|
| ELG- 75- 36AB | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V | Outputs |
|---------------------|--------------|---------------|---|----------------|

Comments

| | | | | |
|--------------------|--------------|---------------|---|----------------|
| ELG- 75- 36D | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V | Outputs |
|--------------------|--------------|---------------|---|----------------|

Comments

| | | | | |
|---------------------|--------------|---------------|---|----------------|
| ELG- 75- 36DA | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V | Outputs |
|---------------------|--------------|---------------|---|----------------|

Comments

| | | | | |
|---------------------|--------------|---------------|---|----------------|
| ELG- 75- 36D2 | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V | Outputs |
|---------------------|--------------|---------------|---|----------------|

Comments

| | | | | |
|----------------------|--------------|---------------|---|----------------|
| ELG- 75- 36AD2 | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V | Outputs |
|----------------------|--------------|---------------|---|----------------|

| | | | |
|-----------------|-----------|---------------|--|
| Comments | | | |
| ELG-75-36ADA | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 36 Vdc, 75.6W when input 200-240 V |
| Outputs | | | |
| Comments | | | |
| ELG-75-42 | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V |
| Outputs | | | |
| Comments | | | |
| ELG-75-42A | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V |
| Outputs | | | |
| Comments | | | |
| ELG-75-42B | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V |
| Outputs | | | |
| Comments | | | |
| ELG-75-42AB | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V |
| Outputs | | | |
| Comments | | | |
| ELG-75-42D | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V |
| Outputs | | | |
| Comments | | | |
| ELG-75-42DA | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V |
| Outputs | | | |
| Comments | | | |
| ELG- | MEAN | Inputs | Input: 100-240 Vac, 0.7 |
| Outputs | | | |

| | | | | |
|-----------------|--------------|---------------|--|----------------|
| 75-42D2 | WELL | | A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V | |
| Comments | | | | |
| ELG-75-42AD2 | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V | Outputs |
| Comments | | | | |
| ELG-75-42ADA | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 42 Vdc, 75.6W when input 200-240 V | Outputs |
| Comments | | | | |
| ELG-75-48 | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V | Outputs |
| Comments | | | | |
| ELG-75-48A | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V | Outputs |
| Comments | | | | |
| ELG-75-48B | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V | Outputs |
| Comments | | | | |
| ELG-75-48AB | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V | Outputs |
| Comments | | | | |
| ELG-75-48D | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 | Outputs |

Vdc, 76.8W when input
200-240 V

Comments

| | | | | |
|---------------------|--------------|---------------|---|----------------|
| ELG- 75- 48DA | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V | Outputs |
|---------------------|--------------|---------------|---|----------------|

Comments

| | | | | |
|---------------------|--------------|---------------|---|----------------|
| ELG- 75- 48D2 | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V | Outputs |
|---------------------|--------------|---------------|---|----------------|

Comments

| | | | | |
|----------------------|--------------|---------------|---|----------------|
| ELG- 75- 48AD2 | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V | Outputs |
|----------------------|--------------|---------------|---|----------------|

Comments

| | | | | |
|----------------------|--------------|---------------|---|----------------|
| ELG- 75- 48ADA | MEAN WELL | Inputs | Input: 100-240 Vac, 0.7 A, 50/60 Hz Output: 48 Vdc, 76.8W when input 200-240 V | Outputs |
|----------------------|--------------|---------------|---|----------------|

Comments

Version 1.1 Last Updated: 11 April, 2022

© Copyright State of Victoria | [Disclaimer](#) | [Privacy Statement](#) | [State Government of Victoria Home](#) |