

[Back](#) [?](#)

Certification No
: GMA-511939-EA

Certifier : Glo

Applicant
: MEAN WELL Enterprises Co., Ltd

Equipment Class
: Level 3 - Power Supply or Charger

Description
: Independent Controlgear

Certified Date : 3/29/2022

Expiry Date : **3/29/2027**

Standard: AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1

Certification Conditions: Classified as do not cover

Profiles

Model	Trade Name	Profile	
HLG-40H-12A	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +12Vdc, 3.33A, Rated Power: 39.96W Outputs
		Comments	
HLG-40H-12B	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +12Vdc, 3.33A, Rated Power: 39.96W Outputs
		Comments	
HLG-40H-12AB	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +12Vdc, 3.33A, Rated Power: 39.96W Outputs
		Comments	
HLG-40H-	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: Outputs

12D			+12Vdc, 3.33A, Rated Power: 39.96W	
		Comments		
HLG-40H-12	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +12Vdc, 3.33A, Rated Power: 39.96W	Outputs
		Comments		
HLG-40H-15A	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +15Vdc, 2.67A, Rated Power: 40.05W	Outputs
		Comments		
HLG-40H-15B	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +15Vdc, 2.67A, Rated Power: 40.05W	Outputs
		Comments		
HLG-40H-15AB	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +15Vdc, 2.67A, Rated Power: 40.05W	Outputs
		Comments		
HLG-40H-15D	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +15Vdc, 2.67A, Rated Power: 40.05W	Outputs
		Comments		
HLG-40H-15	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +15Vdc, 2.67A, Rated Power: 40.05W	Outputs
		Comments		
HLG-40H-20A	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +20Vdc, 2A, Rated Power: 40W	Outputs

Comments

HLG- 40H- 20B	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +20Vdc, 2A, Rated Power: 40W	Outputs
---------------------	----------	---------------	---	----------------

Comments

HLG- 40H- 20AB	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +20Vdc, 2A, Rated Power: 40W	Outputs
----------------------	----------	---------------	---	----------------

Comments

HLG- 40H- 20D	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +20Vdc, 2A, Rated Power: 40W	Outputs
---------------------	----------	---------------	---	----------------

Comments

HLG- 40H- 20	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +20Vdc, 2A, Rated Power: 40W	Outputs
--------------------	----------	---------------	---	----------------

Comments

HLG- 40H- 24A	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +24Vdc, 1.67A, Rated Power: 40.08W	Outputs
---------------------	----------	---------------	---	----------------

Comments

HLG- 40H- 24B	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +24Vdc, 1.67A, Rated Power: 40.08W	Outputs
---------------------	----------	---------------	---	----------------

Comments

HLG- 40H- 24AB	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +24Vdc, 1.67A, Rated Power: 40.08W	Outputs
----------------------	----------	---------------	---	----------------

Comments

HLG-40H-24D	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +24Vdc, 1.67A, Rated Power: 40.08W	Outputs
		Comments		
HLG-40H-24	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +24Vdc, 1.67A, Rated Power: 40.08W	Outputs
		Comments		
HLG-40H-30A	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +30Vdc, 1.34A, Rated Power: 40.2W	Outputs
		Comments		
HLG-40H-30B	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +30Vdc, 1.34A, Rated Power: 40.2W	Outputs
		Comments		
HLG-40H-30AB	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +30Vdc, 1.34A, Rated Power: 40.2W	Outputs
		Comments		
HLG-40H-30D	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +30Vdc, 1.34A, Rated Power: 40.2W	Outputs
		Comments		
HLG-40H-30	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +30Vdc, 1.34A, Rated Power: 40.2W	Outputs
		Comments		
HLG-40H-	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output:	Outputs

36A			+36Vdc, 1.12A, Rated Power: 40.32W	
		Comments		
HLG-40H-36B	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +36Vdc, 1.12A, Rated Power: 40.32W	Outputs
		Comments		
HLG-40H-36AB	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +36Vdc, 1.12A, Rated Power: 40.32W	Outputs
		Comments		
HLG-40H-36D	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +36Vdc, 1.12A, Rated Power: 40.32W	Outputs
		Comments		
HLG-40H-36	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +36Vdc, 1.12A, Rated Power: 40.32W	Outputs
		Comments		
HLG-40H-42A	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +42Vdc, 0.96A, Rated Power: 40.32W	Outputs
		Comments		
HLG-40H-42B	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +42Vdc, 0.96A, Rated Power: 40.32W	Outputs
		Comments		
HLG-40H-42AB	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +42Vdc, 0.96A, Rated Power: 40.32W	Outputs

Comments

HLG-40H-42D	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +42Vdc, 0.96A, Rated Power: 40.32W	Outputs
-------------	----------	---------------	---	----------------

Comments

HLG-40H-42	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +42Vdc, 0.96A, Rated Power: 40.32W	Outputs
------------	----------	---------------	---	----------------

Comments

HLG-40H-48A	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +48Vdc, 0.84A, Rated Power: 40.32W	Outputs
-------------	----------	---------------	---	----------------

Comments

HLG-40H-48B	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +48Vdc, 0.84A, Rated Power: 40.32W	Outputs
-------------	----------	---------------	---	----------------

Comments

HLG-40H-48AB	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +48Vdc, 0.84A, Rated Power: 40.32W	Outputs
--------------	----------	---------------	---	----------------

Comments

HLG-40H-48D	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +48Vdc, 0.84A, Rated Power: 40.32W	Outputs
-------------	----------	---------------	---	----------------

Comments

HLG-40H-48	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +48Vdc, 0.84A, Rated Power: 40.32W	Outputs
------------	----------	---------------	---	----------------

Comments

HLG-40H-54A	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +54Vdc, 0.75A, Rated Power: 40.5W	Outputs
		Comments		
HLG-40H-54B	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +54Vdc, 0.75A, Rated Power: 40.5W	Outputs
		Comments		
HLG-40H-54AB	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +54Vdc, 0.75A, Rated Power: 40.5W	Outputs
		Comments		
HLG-40H-54D	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +54Vdc, 0.75A, Rated Power: 40.5W	Outputs
		Comments		
HLG-40H-54	MEANWELL	Inputs	Input: 100-240Vac, 0.43A, 50/60Hz Output: +54Vdc, 0.75A, Rated Power: 40.5W	Outputs
		Comments		
HLG-60H-15A	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +15Vdc, 4A, Rated Power: 60W	Outputs
		Comments		
HLG-60H-15B	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +15Vdc, 4A, Rated Power: 60W	Outputs
		Comments		
HLG-60H-	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output:	Outputs

15AB

+15Vdc, 4A, Rated
Power: 60W**Comments**HLG-
60H-
15D

MEANWELL

InputsInput: 100-240Vac,
0.64A, 50/60Hz Output:
+15Vdc, 4A, Rated
Power: 60W**Outputs****Comments**HLG-
60H-
15

MEANWELL

InputsInput: 100-240Vac,
0.64A, 50/60Hz Output:
+15Vdc, 4A, Rated
Power: 60W**Outputs****Comments**HLG-
60H-
20A

MEANWELL

InputsInput: 100-240Vac,
0.64A, 50/60Hz Output:
+20Vdc, 3A, Rated
Power: 60W**Outputs****Comments**HLG-
60H-
20B

MEANWELL

InputsInput: 100-240Vac,
0.64A, 50/60Hz Output:
+20Vdc, 3A, Rated
Power: 60W**Outputs****Comments**HLG-
60H-
20AB

MEANWELL

InputsInput: 100-240Vac,
0.64A, 50/60Hz Output:
+20Vdc, 3A, Rated
Power: 60W**Outputs****Comments**HLG-
60H-
20D

MEANWELL

InputsInput: 100-240Vac,
0.64A, 50/60Hz Output:
+20Vdc, 3A, Rated
Power: 60W**Outputs****Comments**HLG-
60H-
20

MEANWELL

InputsInput: 100-240Vac,
0.64A, 50/60Hz Output:
+20Vdc, 3A, Rated
Power: 60W**Outputs**

Comments

HLG- 60H- 24A	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +24Vdc, 2.5A, Rated Power: 60W	Outputs
---------------------	----------	---------------	---	----------------

Comments

HLG- 60H- 24B	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +24Vdc, 2.5A, Rated Power: 60W	Outputs
---------------------	----------	---------------	---	----------------

Comments

HLG- 60H- 24AB	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +24Vdc, 2.5A, Rated Power: 60W	Outputs
----------------------	----------	---------------	---	----------------

Comments

HLG- 60H- 24D	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +24Vdc, 2.5A, Rated Power: 60W	Outputs
---------------------	----------	---------------	---	----------------

Comments

HLG- 60H- 24	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +24Vdc, 2.5A, Rated Power: 60W	Outputs
--------------------	----------	---------------	---	----------------

Comments

HLG- 60H- 30A	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +30Vdc, 2A, Rated Power: 60W	Outputs
---------------------	----------	---------------	---	----------------

Comments

HLG- 60H- 30B	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +30Vdc, 2A, Rated Power: 60W	Outputs
---------------------	----------	---------------	---	----------------

Comments

HLG-60H-30AB	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +30Vdc, 2A, Rated Power: 60W	Outputs
		Comments		
HLG-60H-30D	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +30Vdc, 2A, Rated Power: 60W	Outputs
		Comments		
HLG-60H-30	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +30Vdc, 2A, Rated Power: 60W	Outputs
		Comments		
HLG-60H-36A	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +36Vdc, 1.7A, Rated Power: 61.2W	Outputs
		Comments		
HLG-60H-36B	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +36Vdc, 1.7A, Rated Power: 61.2W	Outputs
		Comments		
HLG-60H-36AB	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +36Vdc, 1.7A, Rated Power: 61.2W	Outputs
		Comments		
HLG-60H-36D	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +36Vdc, 1.7A, Rated Power: 61.2W	Outputs
		Comments		
HLG-60H-	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output:	Outputs

36

+36Vdc, 1.7A, Rated
Power: 61.2W**Comments**

HLG- 60H- 42A	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +42Vdc, 1.45A, Rated Power: 60.9W	Outputs
---------------------	----------	---------------	--	----------------

Comments

HLG- 60H- 42B	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +42Vdc, 1.45A, Rated Power: 60.9W	Outputs
---------------------	----------	---------------	--	----------------

Comments

HLG- 60H- 42AB	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +42Vdc, 1.45A, Rated Power: 60.9W	Outputs
----------------------	----------	---------------	--	----------------

Comments

HLG- 60H- 42D	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +42Vdc, 1.45A, Rated Power: 60.9W	Outputs
---------------------	----------	---------------	--	----------------

Comments

HLG- 60H- 42	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +42Vdc, 1.45A, Rated Power: 60.9W	Outputs
--------------------	----------	---------------	--	----------------

Comments

HLG- 60H- 48A	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +48Vdc, 1.3A, Rated Power: 62.4W	Outputs
---------------------	----------	---------------	---	----------------

Comments

HLG- 60H- 48B	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +48Vdc, 1.3A, Rated Power: 62.4W	Outputs
---------------------	----------	---------------	---	----------------

Comments

HLG-60H-48AB	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +48Vdc, 1.3A, Rated Power: 62.4W	Outputs
--------------	----------	---------------	---	----------------

Comments

HLG-60H-48D	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +48Vdc, 1.3A, Rated Power: 62.4W	Outputs
-------------	----------	---------------	---	----------------

Comments

HLG-60H-48	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +48Vdc, 1.3A, Rated Power: 62.4W	Outputs
------------	----------	---------------	---	----------------

Comments

HLG-60H-54A	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +54Vdc, 1.15A, Rated Power: 62.1W	Outputs
-------------	----------	---------------	--	----------------

Comments

HLG-60H-54B	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +54Vdc, 1.15A, Rated Power: 62.1W	Outputs
-------------	----------	---------------	--	----------------

Comments

HLG-60H-54AB	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +54Vdc, 1.15A, Rated Power: 62.1W	Outputs
--------------	----------	---------------	--	----------------

Comments

HLG-60H-54D	MEANWELL	Inputs	Input: 100-240Vac, 0.64A, 50/60Hz Output: +54Vdc, 1.15A, Rated Power: 62.1W	Outputs
-------------	----------	---------------	--	----------------

Comments

HLG- MEANWELL **Inputs**
60H-
54

Outputs
Input: 100-240Vac,
0.64A, 50/60Hz
Output: +54Vdc, 1.15A,
Rated Power: 62.1W

Comments

Version 1.1 Last Updated: 11 April, 2022

© Copyright State of Victoria | [Disclaimer](#) | [Privacy Statement](#) | [State Government of Victoria Home](#) |